
Bladder Scanning Algorithm



- * Geriatric consideration: in patients over the age of 75, action should be based on bladder scanned volume of 150 mL.
- **Diabetic patient consideration:** patients with diabetes potentially have less sensation to void and may require larger bladder volumes to initiate micturition. Individualize plan of care to achieve baseline elimination.
- LIP orders for voiding trials and one-time scans for evaluation of bladder volume (for example, with hemodialysis-dependent patients) are not addressed in the algorithm.

References:

Boyer, D.R., Steltzer, N., Larrabee, J.H., (2009) Implementation of an Evidence-Based Bladder Scanner Protocol. *Journal of Nursing Care Quality*, 24 (1), 10-16.

Cutright, J. (2011). The effect of the bladder scanner policy on the number of urinary catheters inserted. *The Journal of Wound Ostomy Continence Nursing*, 38 (10)71-76. DOI: 10.1097/WON.0b013e318202b495

Gould, C.V., Umscheid, C.A., Agarwal, R.K., Kuntz, G., & Pegues, D.A, (2009) Guideline for Prevention of Catheter-associated Urinary Tract Infections, Centers for Disease Control, available @ http://www.cdc.gov/hicpac/pdf/CAUTI/CAUTIquideline2009final.pdf, retrieved 2/26/11

Lippincott's Nursing Procedures and Skills, available via UVA clinical portal- Indwelling urinary catheter insertion, care and removal (adult/peds)

Meddings, J. Rogers, M.A., Macy, & Saint, S. (2010). Systematic review and meta-analysis: reminder systems to reduce catheter-associated urinary tract infections and urinary catheter use in hospitalized patients. *Clinical Infectious Diseases*, 51(5):550-560. DOI:10.1086/655133

Palese, A., Buchini, S., Deroma, L. & Barbone, F. (2010). The effectiveness of the ultrasound bladder scanner in reducing urinary tract infections: a meta-analysis. *Journal of Clinical Nursing,* 19, 2970-2979. DOI: 10.1111/j.1365-2702.2010.03281.x

Phillips, J.K. (2000). Integrating bladder ultrasound into a urinary tract infection reduction project. *American Journal of Nursing*, March Supplement, 3-12.

Rebmann,T. & Greene,L.R. (2010) Preventing catheter-associated urinary tract infections: An executive summary of the Association for Professionals in Infection Control and Epidemiology, Inc, Elimination Guide American Journal of Infection Control 2010;38:644-6.)

Rothfeld, A.F. & Stickley, A. (2010) A program to limit urinary catheter use at an acute care hospital. American Journal of Infection Control (38)568-71.

Topal, J., Conklin, S., Camp, K., Morris, V., Balcezak, T. & Herbert, P. (2005), Prevention of nosocomial Catheter-Associated Urinary Tract Infections through computerized feedback to physicians and a nurse-directed protocol. *American Journal of Medical Quality*. 20: 121-126.

DOI: 10.1177/1062860605276074

University of Virginia Medical Center, Clinical Protocol, Use of Indwelling Urinary Catheters available @https://www.healthsystem.virginia.edu/documentation/manuals/CPGuidelines/